

Index

A

- access disk shares
 - nondomain computers 6
- access printers
 - nondomain computers 8
- active directory
 - finding printers 11
- Add/Remove Programs 4
- AFS
 - authentication 4
 - overview 2
 - publishing official Fermilab web pages 3
- AFS client for Windows 2, 4
- anti-virus software 1
- authentication protocol 1

B

- backups 2
 - schedules and availability 2
- booting 4

C

- cached credentials 3
- CD/CSS/TOC group 1
- client/server network 1
- computers, domain 4
- computers, dual-boot 2
- computers, non-domain 5
- computers, nondomain See nondomain computers
- computers, off-site 3
- computers, onsite 3
- computers, support 1
- context menu 12
- customer support
 - See Help Desk

D

- desktop update management 2
- DHCP 1
 - description 1
 - pros and cons 2

- domain computers 4
- domain controller 1
- domain structure 1
- DSCIENT 5
- dual boot systems 2
- dynamic IP address
 - See DHCP

E

- exiting a window 8

F

- FERMI domain 2
 - access from off-site 3
 - account 1
 - advantages 2
 - file storage 1
 - kerberos principal and password 1
 - local vs. remote resources 1
 - logging into 3
 - NTLMv2 authentication 3
 - onsite computers 3
 - OU servers 2
 - remote computers 3
 - requirements for client machines 1
 - services for end user 3
 - software maintained by OU 2
 - transitioning to 2
 - user support 1
 - viewing resources 9
 - visiting laptops 4
- FERMI.WIN.FNAL.GOV domain
 - See FERMI domain
- file permissions 4
- file restores 2
- file sharing 4
 - department-wide 4
 - group-wide 4
 - project-wide 5
- file storage 1, 2
 - backups 1
 - file restores from backup 2
 - server vs. local disk 1
 - virus-checking 1, 3
- files
 - copying 13
 - moving 13
 - operating on multiple files 15
- FNAL.GOV realm (UNIX) 1
- FNALU account 3
- folders
 - copying 13
 - moving 13
 - operating on multiple folders 15
 - shared 4

H

- help
 - online for W2K 1
- Help Desk 1
 - how to reach 1
 - services 1

I

- iconizing a window 8
- IP address
 - See static IP address

K

- Kerberos 1
- kerberos 1
- Kerberos credentials, cached 3
- kerberos password
 - See password, kerberos
- kerberos password, See password
- kerberos principal 1
 - requesting 1

L

- laptop
 - network files on your laptop 5
- laptops
 - visiting 4
- licensing of software 1
- Linux 2
- listing programs 6
- local user profile 2
 - description 4
- local vs. remote resources 1
- locking your workstation 6
- logging into desktop 3
- logging into FERMI domain 3
- logging off 3
- logoff vs. shutdown 3

M

- manipulating files and folders 9, 12
- Map Network Drive 16
- mapping network drives 16
 - nondomain computers 6
- My Computer 9, 16, 1
- My Network Places 9, 1

N

- NetBIOS block 3
- NetBIOS protocol 1
- network drives

- mapping 16
- network files, edit locally 5
- network, server-based 1
- networked resources
 - mapping to drive 16
- networking 1
- non-domain computers 5
- nondomain computers
 - access disk shares 6
 - access printers 8
 - active directory 8
 - authenticate to FERMI domain 1
 - IMAP and email 9
 - map a drive 6
 - map drives via icon 7
 - NTLMv2 authentication 3
 - TCP/IP ports 1
- NT4 domain
 - transitioning from 2
- NT4 domain, accessing 4
- NTLMv2 5
- NTLMv2 authentication 3

O

- objects
 - copying 13
 - manipulating 12
 - moving 13
 - operating on multiple objects 15
 - properties 12
- Office Shortcut bar 5
- offline files 5
- offline folders 5
- off-site access to domain 3
- onsite computers 3
- organizational unit
 - See OU
- OS patches 1
- OU
 - list of OUs 1
- OUs 2

P

- password, kerberos 1
 - changing 4
 - guidelines for choosing 2
 - rules for safekeeping 2
- password, local
 - changing 4
- permissions on files, setting 4
- personal home pages 3
- personal storage area 1
 - usage restrictions 1
- principal
 - See kerberos principal
- printing 7
- program
 - Also see window
 - nonresponding 9
 - switching to another 8

Properties dialog box 12
properties of W2K objects 12

Q

Quick Launch bar 5, 16

R

recommendations for new W2K users 1
remote computers 3
remote host
 connecting to 1
requirements for joining FERMI domain 1
resource management 2
resources
 domain, viewing 10
 local 9
 remote, mapped 9
resources in FERMI domain 2
restart computer 4
restoring a window 8
restoring files from backup 2
roaming user profile 2
 logoff vs. shutdown 3
running programs 6

S

shared file storage areas 4, 5
shortcuts 6
 add to 16
 creating 15
 definition 15
shutdown vs. logoff 3
shutting down computer 4
shutting down workstation 4
SMB protocol 1
software
 default save locations 1
 distributed by Fermilab 2
 distribution categories 2
 installing 3
 licensing 1
 purchasing 3
 removing 4
Start button 6
static IP address 1, 3
 pros and cons 3
strengthened domain
 overview 1
strong authentication 1
support 1
switching tasks 5

T

task bar 5
Task Manager 8, 9

- tasks, switching between 5
- TCP/IP ports 1
- temporarily locking workstation 6
- tips for new W2K users 1

U

- UNIX host
 - connecting to 1
- UNIX, FNAL.GOV realm 1
- user account management 2
- user profile 3, 2
 - local 2
 - roaming 2
 - storage 2
- user support 1
- user volumes 1, 2
 - usage restrictions 1
 - virus-checking 3

V

- viewing domain resources 10
- virus protection requirement 3
- virus-checking 1
 - information sources 3
- visitors 4
- VMWare 2

W

- W2K 1
 - configure NTLMv2 3
 - context menu 12
 - desktop support 1
 - online help 1
 - Properties dialog box 12
 - software compatibility 2
 - tips for new users 1
 - user support 1
 - window display standards 8
- web pages, publishing in AFS 3
- WIN.FNAL.GOV domain 1
- window
 - exiting 8
 - iconizing 8
 - restoring 8
 - switch to other window 5
- Windows 2000
 - See W2K 1
- Windows 2000 domain
 - overview 1
- Windows 9x
 - configure NTLMv2 5
- Windows Explorer 9, 10, 14, 15, 2, 1
- Windows ME
 - configure NTLMv2 5
- Windows NT
 - configure NTLMv2 5
- Windows XP

configure NTLMv2 4
workstation
booting 4
frozen 4
locking 6
shutting down 4
unlocking 6